

Aspire 5530	Quick Spec
Operating system ¹	Genuine Windows Vista [®] Home Premium (Service Pack 1)
Platform ¹	 AMD Better By Design program, featuring: AMD Turion[™] X2 Ultra dual-core mobile technology ZM-80 (2 MB L2 cache, 2.10 GHz, DDR2 800 MHz, 32 W), ZM-82/ZM-84/ZM-86/ZM-88 (2 MB L2 cache, 2.20/2.30/2.40 GHz, DDR2 800 MHz, 35 W) supporting AMD HyperTransport[™] 3.0 technology AMD Turion[™] X2 dual-core mobile technology RM-70/RM-72/RM-74 (1 MB L2 cache, 2 GHz, DDR2 800 MHz, 31 W), supporting AMD HyperTransport[™] 3.0 technology AMD Athlon[™] 64 X2 dual-core processor QL-60/QL-62/QL-64 (1 MB L2 cache, 1.90 GHz, DDR2 667 MHz), supporting AMD HyperTransport[™] 3.0 technology
	 AMD M780G Chipset Acer InviLink[™] Nplify^{™2, 3}, 802.11b/g/Draft-N Wi-Fi CERTIFIED[®] network connection, supporting Acer SignalUp[™] wireless technology
System memory ^{1, 4, 5}	Dual-channel DDR2 SDRAM support Up to 2 GB of DDR2 667 MHz memory, upgradeable to 4 GB using two soDIMM modules ⁶
Display	15.4" WXGA high-brightness (220-nit) Acer CrystalBrite [™] TFT LCD, high-def 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista [™] 8 ms high-def response time
TV-tuner ¹	Acer TV-tuner options:
	Digital TV-tuner supporting DVB-T (Digital Video Broadcasting-Terrestrial) standard (6 to 8 MHz) TV-tuner I/O:
	• RF-in jack for digital TV antenna cable input TV-tuner cable:
	• PAL cable for digital TV input

Aspire 5530	Quick Spec
	Acer DVB-T antenna (UHF/VHF reception) supporting Acer SignalUp [™] technology
Graphics	ATI Radeon [®] HD 3200 Graphics with up to 2048 ⁷ MB of HyperMemory [®] (256 MB of dedicated system memory, up to 1792 MB of shared system memory), supporting Unified Video Decoder (UVD), OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.0, Microsoft [®] DirectX [®] 10.0
	Dual independent display support
	16.7 million colors
	External resolution/refresh rate:
	• 2048 x 1536: 75/60 Hz
	• 1920 x 1440: 85/75/60 Hz
	• 1920 x 1200: 75/60 Hz
	• 1920 x 1080: 100/85/75/60 Hz
	• 1680 x 945: 100/85/75/60 Hz
	• 1600 x 1200: 120/100/85/75/60 Hz
	• 1600 x 900: 120/100/85/75/60 Hz
	• 1400 x 1050: 85/75/60 Hz
	• 1366 x 768: 85/75/60 Hz
	• 1280 x 1024: 120/100/85/75/60 Hz
	• 1280 x 960: 85/75/60 Hz
	• 1280 x 768: 85/75/60 Hz
	• 1280 x 720: 100/85/75/60 Hz
	• 1024 x 768: 120/100/85/75/60 Hz
	• 800 x 600: 120/100/85/72/60 Hz
	MPEG-2/DVD decoding
	WMV9 (VC-1) and H.264 (AVC) decoding
	HDMI [™] (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support
	Acer Arcade $\[mathbb{D}$ Deluxe featuring Acer CinemaVision $\[mathbb{M}]$ and Acer ClearVision $\[mathbb{M}]$ technologies $\[mathbb{B}]$

Aspire 5530	Quick Spec
Audio	Dolby ^{®9} -optimized surround sound system with two built-in stereo speakers and one subwoofer supporting low-frequency effects
	Optimized 2 nd Generation Dolby Home Theater ^{®9} audio enhancement, featuring Dolby [®] Digital, Dolby [®] Digital Live, Dolby [®] Pro Logic [®] IIx, Dolby [®] Headphone, Dolby [®] Natural Bass and Dolby [®] Sound Space Expander technologies ¹⁰
	True5.1-channel surround sound output
	High-definition audio support
	S/PDIF (Sony/Philips Digital Interface) ¹¹ support for digital speakers
	MS-Sound compatible
	Built-in microphone
Storage ¹	120/160/250/320 GB or larger hard disk drive 12
	Hybrid HDD supported
	5-in-1 card reader, supporting Secure Digital [™] (SD), MultiMediaCard (MMC), Memory Stick [®] (MS), Memory Stick PRO [™] (MS PRO), xD-Picture Card [™] (xD)
Optical media drive ¹	2X Blu-ray Disc [™] /DVD-Super Multi double-layer drive:
	 Read: 24X CD-ROM, 24X CD-R, 24X/16X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X/4X DVD-ROM DL (double-layer), 4X DVD-R DL (double-layer), 6X/4X DVD+R DL (double-layer), 6X/4X DVD-RW, 4X DVD+RW, 5X DVD-RAM, 2X BD-ROM, 2X BD-R, 2X BD-RE, 2X BD-ROM DL (double-layer), 2X/1.6X BD-R DL (double-layer), 2X BD-RE DL (double-layer)
	 Write: 16X CD-R, 10X CD-RW, 8X DVD-R, 8X DVD+R, 4X DVD-RW, 4X DVD+RW, 5X DVD-RAM, 4X DVD+R DL (double-layer), 4X DVD-R DL (double-layer)
	8X DVD-Super Multi double-layer drive:
	 Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM
	 Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 4X DVD-R DL (double-layer), 4X DVD+R DL (double-layer), 6X DVD-RW, 8X DVD+RW, 5X DVD-RAM
Communication	Acer Video Conference, featuring:

Aspire 5530	Quick Spec
	 Integrated Acer Crystal Eye webcam, supporting enhanced Acer PrimaLite[™] technology
	 Acer Video Conference Manager software featuring Video Quality Enhancement (VQE) technology with H.264 video compression, supporting 640 x 480 resolution online video calls with drag-and-drop Picture-in-Picture (PIP) interactivity¹⁴
	• Optional Acer Xpress VoIP phone
	WLAN ¹ : Acer InviLink [™] Nplify ^{™2, 3} , 802.11b/g/Draft-N Wi-Fi CERTIFIED [®] network connection, supporting Acer SignalUp [™] wireless technology
	$WPAN^1$: Bluetooth [®] 2.0+EDR (Enhanced Data Rate)
	LAN: Gigabit Ethernet, Wake-on-LAN ready
	Modem: 56K ITU V.92 with PTT approval ¹³ , Wake-on-Ring ready
Privacy control	Acer Bio-Protection fingerprint solution, featuring Windows [®] logon, computer protection, Acer FingerLaunch, ProfileLaunch, MusicLaunch, Password Bank, MyLaunch, FingerNav ¹
	BIOS user, supervisor, HDD passwords
	Kensington lock slot
Dimensions and weight ¹	364.6 (W) x 272.3 (D) x 30.8/43.7 (H) mm (14.3 x 10.6 x 1.2/1.7 inches)
	2.9 kg (6.39 lbs.) with 6-cell battery pack
Power ¹	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes
	48.8 W 4400 mAh 6-cell Li-ion battery pack:
	• 2.5-hour battery life ¹⁴
	71 W 4800 mAh 8-cell Li-ion battery pack:
	 3.5-hour battery life¹⁴
	2.5-hour rapid charge system-off, 3.5-hour charge-in-use
	3-pin 65W AC adapter
	Energy Star 4.0
Special keys and controls ¹	88-/89/93-key keyboard ¹ with inverted "T" cursor layout, 2.5 mm (minimum) key travel
	Touchpad pointing device with Acer Bio-Protection fingerprint reader, featuring Acer FingerNav 4-way control function ¹

Aspire 5530	Quick Spec
	12 function keys, four cursor keys, two Windows [®] keys, hotkey controls, embedded numeric keypad, international language support, independent US and Euro dollar sign keys
	Empowering Key
	Easy-launch buttons: WLAN, Internet, email, Bluetooth®, Acer Arcade [™]
	Acer MediaTouch keys: play/pause, stop, previous, next,
	Volume wheel
	Acer Media Center remote control ¹
$I/0 ports^1$	Acer EasyPort IV connector
	ExpressCard [™] /54 slot
	5-in-1 card reader (SD [™] , MMC, MS, MS PRO, xD)
	Four USB 2.0 ports
	HDMI [™] port with HDCP support
	Consumer infrared (CIR) port
	External display (VGA) port
	$RF-in jack^1$
	Headphone/speaker/line-out jack with S/PDIF support
	Microphone-in jack
	Line-in jack
	Ethernet (RJ-45) port
	Modem (RJ-11) port
	DC-in jack for AC adapter
Software	Acer Empowering Technology (Acer eAudio, ePower, eDataSecurity ¹ , eRecovery, eSettings Management)
	Acer Arcade ^{™1} Deluxe featuring Cinema, Album, Music, HomeMedia
	Acer InstantOn Arcade
	Acer Bio-Protection ¹
	Acer Crystal Eye ¹
	Acer GridVista [™]
	Acer Launch Manager
	Acer GameZone ¹
	Acer Video Conference Manager ¹
	Adobe® Reader®
	McAfee [®] Internet Security Suite

Aspire 5530	Quick Spec
	NTI Media Maker™
	$Microsoft^{\circ}$ Works 9.0 with Office Home and Student 2007 Trial ¹
Optional items	Acer Xpress VoIP phone and Acer Video Conference Manager pack
	Acer Media Center remote control
	512 MB/1 GB/2 GB DDR2 667 MHz soDIMM module
	8-cell Li-ion battery pack
	6-cell Li-ion battery pack
	3-pin 65 W AC adapter
	120/160/200/250/320 GB hard disk drive
	USB optical genius mini mouse
	External USB floppy disk drive
	Acer EasyPort IV
Acer recommends	Windows Vista [®] Business

Acer recommends Windows Vista[®] Business.

1. Specifications vary depending on model.

2.	Acer InviLink ^{\mathbb{M}} Nplify ^{\mathbb{M}} , a high-throughput wireless
	solution, delivers superior performance and reliable
	connections while enabling emerging voice, video and data
	applications. Wi-Fi CERTIFIED [®] , it supports Acer SignalUp [™]
	wireless technology and is compliant with $802.11b/g/Draft-N$
	and 802.11b/g standards.

- 3. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction and access point settings.
- 4. Up to 1 GB of available system memory may be allocated for system resource requirements.
- 5. Shared system memory may be allocated to support integrated graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating environment.
- 6. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB memory.
- 7. For systems with 4 GB of system memory. The total graphics memory visible to the OS is less than the actual size allocated from the physical memory installed and varies depending on the configuration under a 32-bit OS.
- 8. Powered by CyberLink® technology.
- 9. Dolby[®] is a registered trademark of Dolby[®] Laboratories. Dolby Home Theater[®] is a trademark of Dolby[®] Laboratories.
- 10. Dolby Pro Logic[®] and the double-D symbol are registered trademarks of Dolby[®] Laboratories.

Aspire 5530 Quick Spec

- 11. Supports 7.1-channel surround sound and 2-channel stereo output (multiple streaming).
- 12. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer eRecovery Management utilizes up to 10 GB of the stated hard disk capacity as dedicated backup space.
- 13. PTT countries: Asia: China, Hong Kong, Japan, Korea, Malaysia, Singapore, Taiwan. Europe: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Holland, Iceland, Italy, Luxembourg, Norway, Portugal, Spain, Sweden, Switzerland. Oceania: Australia, New Zealand. N. America: Canada, USA.
- 14. Battery life varies depending on product specifications, computer settings, and applications or features launched, and may be reduced if Windows Aero[™] is enabled. All batteries' maximum capacity diminishes with time and use.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

 \circledcirc 2008 Acer Inc. All rights reserved. Acer, the Acer logo, and TravelMate are registered trademarks of Acer Inc. Other trademarks, registered trademarks, and/or service marks, indicated or otherwise, are the property of their respective owners.