

Aspire 4810T Specifications	
Operating system <sup>1</sup>	Genuine Windows Vista® Home Premium 64-bit (Service Pack 1) <sup>2</sup>
	Genuine Windows Vista <sup>®</sup> Home Premium (Service Pack 1)
	Genuine Windows Vista® Home Basic 64-bit (Service Pack 1) <sup>2</sup>
	Genuine Windows Vista <sup>®</sup> Home Basic (Service Pack 1)
Platform <sup>1</sup>	<pre>Intel® Centrino® 2 mobile processor technology, featuring:</pre>
	• Intel® Core™2 Duo processor SU9400/SU9600 (3 MB L2 cache, 1.40/1.60 GHz, 800 MHz FSB, 10 W), supporting Intel® 64 architecture
	Intel® Centrino® mobile processor technology, featuring:
	• Intel® Core™2 Solo processor SU3300/SU3500 (3 MB L2 cache, 1.20/1.40 GHz, 800 MHz FSB, 5.50 W), supporting Intel® 64 architecture
	• Mobile Intel® GS45 Express Chipset
	<ul> <li>Intel® Wireless WiFi Link 5100 (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED® network connection, featuring MIMO technology, supporting Acer SignalUp™ with Nplify™3, 4 wireless technology</li> </ul>
	<ul> <li>Intel<sup>®</sup> Wireless WiFi Link 5150 Wi-Fi<sup>®</sup>/WiMAX<sup>™</sup> dual-mode module<sup>5</sup>, supporting Acer SignalUp<sup>™</sup> with Nplify<sup>™3, 4</sup> wireless technology</li> </ul>
	o Wi-Fi® (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED® network connection, featuring MIMO technology
	o WiMAX™ (single-band 802.16e/2.5G) WiMAX Forum Certified™ WAN (Wide Area Network) connection <sup>5</sup> , featuring Mobile WiMAX™ and MIMO technology
System memory <sup>1</sup>	Dual-channel DDR3 SDRAM support
6, 7	Up to 4 GB of DDR3 1066 MHz memory, upgradeable to 8 GB using two soDIMM modules (for 64-bit OS)
	Up to 2 GB of DDR3 1066 MHz memory, upgradeable to 4 GB using two soDIMM modules (for 32-bit OS)

Aspire 4810T	Specifications
Display	14" HD 1366 x 768 pixel resolution, high-brightness (200-nit) Acer CineCrystal™ LED-backlit TFT LCD, supporting simultaneous multi-window viewing via Acer GridVista™
	16:9 aspect ratio
	Super-slim design
Graphics	Mobile Intel® GS45 Express Chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator 4500MHD (Intel® GMA 4500MHD) with up to 1759 MB of Intel® Dynamic Video Memory Technology 5.0 (64 MB of dedicated video memory, up to 1695 MB of shared system memory), supporting Microsoft® DirectX® 10
	Dual independent display support
	16.7 million colors
	External resolution/refresh rate:
	• 2048 x 1536: 60 Hz
	• 1920 x 1440: 75/60 Hz
	• 1920 x 1080: 100/85/75/60 Hz
	• 1856 x 1392: 75/60 Hz
	• 1792 x 1344: 75/60 Hz
	• 1600 x 1200: 100/85/75/60 Hz
	• 1600 x 900: 60 Hz
	• 1400 x 1050: 60 Hz
	• 1366 x 768: 85/75/60 Hz
	• 1280 x 1024: 120/100/85/75/60 Hz
	• 1280 x 960: 85/60 Hz
	• 1280 x 768: 60 Hz
	• 1152 x 864: 100/85/75 Hz
	• 1024 x 768: 120/100/85/75/60 Hz
	• 800 x 600: 120/100/85/72/60 Hz
	• 640 x 480: 120/100/85/75/60 Hz
	MPEG-2/DVD decoding
	WMV9 (VC-1) and H.264 (AVC) decoding
	HDMI <sup>™</sup> (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support
Audio	Optimized 2 <sup>nd</sup> Generation Dolby Sound Room <sup>®7</sup> audio enhancement, featuring Dolby <sup>®</sup> Headphone, Dolby <sup>®</sup>

Agnire 4810T	Specifications
ASPITC TOTOL	Natural Bass and Dolby® Sound Space Expander
	High-definition audio support
	S/PDIF (Sony/Philips Digital Interface) support for digital speakers
	MS-Sound compatible
	Built-in microphone
Storage	160/250/320/500 GB or larger hard disk drive or 64/80 GB SSD drive <sup>1, 10</sup>
	5-in-1 card reader, supporting Secure Digital™ (SD) Card, MultiMediaCard (MMC), Memory Stick™ (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
Optical media	8X DVD-Super Multi double-layer drive:
drive	<ul> <li>Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM</li> </ul>
	<ul> <li>Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 4X DVD-R DL (double-layer), 4X DVD+R DL (double-layer), 6X DVD-RW, 8X DVD+RW, 5X DVD-RAM</li> </ul>
Communication	Acer Video Conference <sup>1</sup> , featuring:
	<ul> <li>Integrated Acer Crystal Eye webcam supporting enhanced Acer PrimaLite<sup>™</sup> technology</li> </ul>
	WLAN <sup>1, 4</sup> : Intel <sup>®</sup> Wireless WiFi Link 5100 (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED <sup>®</sup> network connection, featuring MIMO technology, supporting Acer SignalUp <sup>™</sup> with Nplify <sup>™3</sup> wireless technology
	Wi-Fi®/WiMAX <sup>™1, 4</sup> : Intel® Wireless WiFi Link 5150 Wi-Fi®/WiMAX <sup>™</sup> dual-mode module <sup>5</sup> , supporting Acer SignalUp <sup>™</sup> with Nplify <sup>™3</sup> wireless technology
	• Wi-Fi®: (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED® network connection, featuring MIMO technology
	<ul> <li>WiMAX<sup>™</sup>: (single-band 802.16e/2.5G) WiMAX         Forum Certified<sup>™</sup> WAN (Wide Area Network)         connection<sup>5</sup>, featuring Mobile WiMAX<sup>™</sup> and         MIMO technology</li> </ul>
	WPAN1: Bluetooth® 2.0+EDR (Enhanced Data Rate)
	wwan¹:
-	

Aspire 4810T Specifications	
	GTM382E module: UMTS/HSPA at 900 MHz/2100 MHz and quad-band GSM/GPRS/EDGE (850/900/1800/1900 MHz) upgradeable to 7.2 Mbps HSDPA and 5.7 Mbps HSUPA (for 3G models)
	Gobi2000 module: UMTS/HSPA at 850 MHz/900 MHz/1900 MHz/2100 MHz and quad-band GSM/GPRS/EDGE (850/900/1800/1900 MHz) upgradeable to 7.2 Mbps HSDPA and 5.7 Mbps HSUPA
	Optional support for receiver diversity and equalizing on 2100 MHz
	LAN: Gigabit Ethernet, Wake-on-LAN ready
Privacy control	BIOS user, supervisor, HDD passwords
	Kensington lock slot
Dimensions and	338.4 (W) $\times$ 240 (D) $\times$ 24/28.9 (H) mm
weight	1.9 kg ( 4.2 lbs.) with 6-cell battery pack
Power	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes
	62.16 W 5600 mAh 6-cell Li-ion battery pack:
	• 9-hour battery life <sup>11, 12</sup>
	Acer PowerSmart 3-pin 65 W AC adapter
	ENERGY STAR® 5.0
Special keys and controls	86-/87-/91-key keyboard,, with inverted "T" cursor layout
	Multi-gesture touchpad pointing device supporting
	Circular-motion scrolling
	Pinch-action zoom
	• Page flip
	10 function keys, four cursor keys, two Windows® keys, hotkey controls, independent standard numeric keypad, international language support
	Acer PowerSmart key
	Easy-launch keys: Acer Backup, Communication®, touchpad lock
	Media control keys (printed on keyboard): play/pause, stop, previous, next
I/O ports	5-in-1 card reader (SD™, MMC, MS, MS PRO, xD)
	Three USB 2.0 ports
	HDMI <sup>™</sup> port with HDCP support
	External display (VGA) port
	Headphone/speaker/line-out jack with S/PDIF

Aspire 4810T	Specifications
	support
	Microphone-in jack
	Ethernet (RJ-45) port
	DC-in jack for AC adapter
Software	Acer Crystal Eye <sup>1</sup>
	Acer GridVista <sup>™</sup>
	Acer GameZone
	Acer Game Console
	Acer Backup Manager
	Acer PowerSmart Manager
	Acer eRecovery Management
	Adobe® Reader®
	Adobe Flash Player
	Google Toolbar
	Google Desktop
	Cyberlink® Power DVD
	CyberLink® PowerDirector® trial version
	McAfee® Internet Security Suite
	NTI Media Maker™
	Microsoft® Works 9.0 with Office Home and Student 2007 Trial
	Acer 3G Connection Manager (for 3G SKU only)
Optional items	1 GB / 2 GB DDR3 1066 MHz soDIMM module
	6-cell Li-ion battery pack
	Acer PowerSmart 3-pin 65 W AC adapter
	External USB floppy disk drive
	External USB 56K modem
Warranty	One-year International Travelers Warranty (ITW)

Acer recommends Windows Vista® Home Premium.

- 1. Specifications vary depending on model.
- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. Acer Nplify<sup>™</sup>, a high-throughput wireless solution, delivers superior performance and reliable connections while enabling emerging voice, video and data applications. Wi-Fi CERTIFIED<sup>®</sup>, it supports Acer SignalUp<sup>™</sup> wireless technology and is compliant with 802.11a/b/g/Draft-N and 802.11b/g standards.
- 4. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead,

## Aspire 4810T Specifications

building construction and access point settings.

- 5. Subject to availability.
- 6. Up to 1 GB of available system memory may be allocated for system resource requirements.
- 7. Shared system memory may be allocated to support integrated graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by the amount of dedicated and shared system memory utilized by the graphics solution and resources required by the operating environment.
- 8. Supports 7.1-channel surround sound and 2-channel stereo output (multiple streaming).
- 9. Dolby<sup>®</sup> is a registered trademark of Dolby<sup>®</sup> Laboratories.
- 10. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer eRecovery Management utilizes up to 10 GB of the stated hard disk capacity as dedicated backup space.
- 11. Battery life varies depending on product specifications, computer settings, and applications or features launched, and may be reduced if Windows Aero™ is enabled. All batteries' maximum capacity diminishes with time and use.
- 12. Battery life indicated is with Acer PowerSmart Manager enabled.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2009 Acer Inc. All rights reserved. Acer, the Acer logo, and Aspire are registered trademarks of Acer Inc. Other trademarks, registered trademarks, and/or service marks, indicated or otherwise, are the property of their respective owners.

Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel and Pentium are registered trademarks of Intel Corporation.

## About Acer

Since its founding in 1976, Acer has constantly pursued the goal of breaking the barriers between people and technology. Focused on marketing its brand-name IT products around the globe, Acer ranks as the world's No. 3 vendor for total PCs and No. 2 for notebooks, with the fastest growth among the top-five players. A profitable and sustainable Channel Business Model is instrumental to Acer's continued growth, while the successful mergers of Gateway and Packard Bell complete the company's global footprint by strengthening its presence in the U.S., and enhancing its strong position in Europe. Acer Inc. employs 5,000 people worldwide. 2007 revenues reached US\$14.07 billion. See www.acer.com for more information.











